


FIGURE 1D











FIGURE 1F











T.H. 0.1" SPACING WITH 0.05" OFFSET, 2" X 2" GRID

FIGURE 3




0603/0805/1206/CASE-A/CASE-B/SOD-123/SOT-23/SOT-223 2" X 2" GRID

FIGURE 4




SO, 4 - 56 PINS, 2" X 2" GRID

FIGURE 5




SOP, 4 - 72 PINS 0.8MM PITCH, 2" X 2" GRID

FIGURE 6




SOP, 4 - 72 PINS 0.65MM PITCH, 2" X 2" GRID

FIGURE 7




SOP, 4 - 72 PINS 0.5MM PITCH, 2" X 2" GRID

FIGURE 8




SOP, 4 - 72 PINS 0.4MM PITCH, 2" X 2" GRID




QFP, 32 - 64 PINS 0.8MM PITCH, 2" X 2" GRID

FIGURE 9

FIGURE 10




QFP, 100 PINS 0.65MM PITCH, 2" X 2" GRID




QFP, 32 - 100 PINS 0.5MM PITCH, 2" X 2" GRID

FIGURE 11

FIGURE 12




PLCC, 20 - 84 PINS 0.05" PITCH, 2" X 2" GRID



T.H. POWER AND GND STRIP 0.5" X 2" GRID


FIGURE 13

FIGURE 14




T.H. DRIVE POWER CONN AND POWER JACK
 0.5" X 2" GRID

FIGURE 15




T.H. ATX POWER CONNECTOR 0.5" X 2" GRID

FIGURE 16




T.H. AUDIO/RCA JACK 0.5" X 2" GRID

FIGURE 17




T.H. DB 25 CONNECTOR 0.5" X 2" GRID

FIGURE 18




T.H. JTAG 20 PINS 0.1" SP AND IEEE1394 CONNECTOR 0.5" X 2" GRID

FIGURE 19




T.H. RGB 15 PINS CONNECTOR 0.5" X 2" GRID

FIGURE 20



T.H. SWITCHES T.H. 0.5" X 2" GRID

FIGURE 21



T.H. RJ11/45 AND USB
CONNECTOR 0.5" X 2" GRID

FIGURE 22